


CEMA C 20° SELF-ALIGNING TROUGHED IDLER 4" DIAMETER ROLLS											
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	G	H	MOUNTING BOLT
18	DCS-18-20-04	74	27	7 11/16	6 5/8	22 3/4	13 5/16	28 3/4	6	9 1/2	1/2
24	DCS-24-20-04	80	33	8 3/4	8 11/16	29 1/16	14 3/4	34 3/4	6	9 1/2	1/2
30	DCS-30-20-04	88	39	8 3/4	10 15/16	34 3/4	15 7/16	40 3/4	6	9 1/2	1/2
36	DCS-36-20-04	98	45	8 3/16	12 15/16	38 15/16	16 1/16	46 3/4	6	9 1/2	5/8
42	DCS-42-20-04	104	51	8 1/2	14 15/16	46 11/16	16 9/16	52 3/4	9	11 1/2	5/8
48	DCS-48-20-04	110	57	9 1/4	16 15/16	52 3/8	17 4/5	58 3/4	9	11 1/2	5/8
54	DCS-54-20-04	119	63	9 7/16	18 15/16	57 7/8	19 3/8	64 3/4	9	11 1/2	5/8
60	DCS-60-20-04	125	69	9 7/16	20 15/16	62 1/8	19 7/8	70 3/4	9	11 1/2	5/8

CEMA C 20° SELF-ALIGNING TROUGH IDLER 5" DIAMETER ROLLS											
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	G	H	MOUNTING BOLT
18	DCS-18-20-05	74	27	8 3/16	6 5/8	22 3/4	13 5/16	28 3/4	6	9 1/2	1/2
24	DCS-24-20-05	80	33	9 1/4	8 11/16	29 1/16	14 3/4	34 3/4	6	9 1/2	1/2
30	DCS-30-20-05	88	39	9 1/4	10 15/16	34 3/4	15 7/16	40 3/4	6	9 1/2	1/2
36	DCS-36-20-05	98	45	8 11/16	12 15/16	38 15/16	16 1/16	46 3/4	6	9 1/2	5/8
42	DCS-42-20-05	104	51	9	14 15/16	46 11/16	16 9/16	52 3/4	9	11 1/2	5/8
48	DCS-48-20-05	110	57	9 3/4	16 15/16	52 3/8	17 13/16	58 3/4	9	11 1/2	5/8
54	DCS-54-20-05	119	63	9 15/16	18 15/16	57 7/8	19 3/8	64 3/4	9	11 1/2	5/8
60	DCS-60-20-05	125	69	9 15/16	20 15/16	62 1/8	19 7/8	70 3/4	9	11 1/2	5/8

CEMA C 20° SELF-ALIGNING TROUGH IDLER 6" DIAMETER ROLLS											
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	G	H	MOUNTING BOLT
18	DCS-18-20-06	79	27	8 1/2	6 5/8	22 3/4	13 5/16	28 3/4	6	9 1/2	1/2
24	DCS-24-20-06	82	33	9 3/4	8 11/16	29 1/16	14 3/4	34 3/4	6	9 1/2	1/2
30	DCS-30-20-06	100	39	9 3/4	10 15/16	34 3/4	15 7/16	40 3/4	6	9 1/2	1/2
36	DCS-36-20-06	108	45	9 1/16	12 15/16	38 15/16	16 1/16	46 3/4	6	9 1/2	5/8
42	DCS-42-20-06	114	51	9 1/2	14 15/16	46 11/16	16 9/16	52 3/4	9	11 1/2	5/8
48	DCS-48-20-06	126	57	10 1/4	16 15/16	52 3/8	17 13/16	58 3/4	9	11 1/2	5/8
54	DCS-54-20-06	135	63	10 7/16	18 15/16	57 7/8	19 3/8	64 3/4	9	11 1/2	5/8
60	DCS-60-20-06	143	69	10 7/16	20 15/16	62 1/8	19 7/8	70 3/4	9	11 1/2	5/8




CEMA C 35° SELF-ALIGNING TROUGH IDLER 4" DIAMETER ROLLS											
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	G	H	MOUNTING BOLT
18	DCS-18-35-04	74	27	8 3/4	6 5/8	18 5/8	16 3/16	28 3/4	6	9 1/2	1/2
24	DCS-24-35-04	82	33	8 3/4	8 11/16	24 3/8	17 1/4	34 3/4	6	9 1/2	1/2
30	DCS-30-35-04	88	39	8 3/4	10 15/16	29 7/8	19 1/4	40 3/4	6	9 1/2	1/2
36	DCS-36-35-04	99	45	8 3/4	12 15/16	34 15/16	19 9/16	46 3/4	6	9 1/2	1/2
42	DCS-42-35-04	104	51	9 1/4	14 15/16	40 3/16	21 1/4	52 3/4	9	11 1/2	5/8
48	DCS-48-35-04	110	57	9 1/4	16 15/16	46 7/16	22 1/16	58 3/4	9	11 1/2	5/8
54	DCS-54-35-04	119	63	9 1/2	18 15/16	51 15/16	23 1/2	64 3/4	9	11 1/2	5/8
60	DCS-60-35-04	125	69	9 1/2	20 15/16	56 5/8	24 3/8	70 3/4	9	11 1/2	5/8

CEMA C 35° SELF-ALIGNING TROUGH IDLER 5" DIAMETER ROLLS											
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	G	H	MOUNTING BOLT
18	DCS-18-35-05	74	27	9 1/4	6 5/8	18 5/8	16 3/16	28 3/4	6	9 1/2	1/2
24	DCS-24-35-05	82	33	9 1/4	8 11/16	24 3/8	17 1/4	34 3/4	6	9 1/2	1/2
30	DCS-30-35-05	88	39	9 1/4	10 15/16	29 7/8	19 1/4	40 3/4	6	9 1/2	1/2
36	DCS-36-35-05	99	45	9 1/4	12 15/16	34 15/16	19 9/16	46 3/4	6	9 1/2	1/2
42	DCS-42-35-05	104	51	9 3/4	14 15/16	40 3/16	21 1/4	52 3/4	9	11 1/2	5/8
48	DCS-48-35-05	110	57	9 3/4	16 15/16	46 7/16	22 1/16	58 3/4	9	11 1/2	5/8
54	DCS-54-35-05	119	63	10	18 15/16	51 15/16	23 1/2	64 3/4	9	11 1/2	5/8
60	DCS-60-35-05	138	69	10	20 15/16	56 5/8	24 3/8	70 3/4	9	11 1/2	5/8

CEMA C 35° SELF-ALIGNING TROUGH IDLER 6" DIAMETER ROLLS											
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	G	H	MOUNTING BOLT
18	DCS-18-35-06	89	27	9 3/4	6 5/8	18 5/8	16 3/16	28 3/4	6	9 1/2	1/2
24	DCS-24-35-06	92	33	9 3/4	8 11/16	24 3/8	17 1/4	34 3/4	6	9 1/2	1/2
30	DCS-30-35-06	100	39	9 3/4	10 15/16	29 7/8	19 1/4	40 3/4	6	9 1/2	1/2
36	DCS-36-35-06	108	45	9 3/4	12 15/16	34 15/16	19 9/16	46 3/4	6	9 1/2	1/2
42	DCS-42-35-06	115	51	10 1/4	14 15/16	40 3/16	21 1/4	52 3/4	9	11 1/2	5/8
48	DCS-48-35-06	126	57	10 1/4	16 15/16	46 7/16	22 1/16	58 3/4	9	11 1/2	5/8
54	DCS-54-35-06	135	63	10 1/2	18 15/16	51 15/16	23 1/2	64 3/4	9	11 1/2	5/8
60	DCS-60-35-06	143	69	10 1/2	20 15/16	56 5/8	24 3/8	70 3/4	9	11 1/2	5/8

All dimensions and specifications subject to change without notice.  
 Certified dimensions and specifications of ordered material available on request.  
 Copyright © 2015, Douglas Manufacturing Co., Inc. All rights reserved.



CEMA C 45° SELF-ALIGNING TROUGH IDLER 4" DIAMETER ROLLS									
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	MOUNTING BOLT
18	DCS-18-45-04	84	27	8 3/8	7 1/8	19 7/8	17 3/16	29	1/2
24	DCS-24-45-04	91	33	8 3/8	9 1/8	24 3/4	18 5/8	35	1/2
30	DCS-30-45-04	100	39	8 3/8	11 1/8	29 9/16	20	41	1/2
36	DCS-36-45-04	109	45	8 3/8	13 1/8	34 3/8	20 15/16	47	1/2
42	DCS-42-45-04	132	51	8 11/16	15 1/8	39 3/16	23 3/16	53	5/8
48	DCS-48-45-04	142	57	8 11/16	17 1/8	44 1/16	24 5/8	59	5/8
54	DCS-54-45-04	155	63	9 3/16	19 1/8	48 7/8	26 1/2	65 1/2	5/8
60	DCS-60-45-04	167	69	9 3/16	21 1/8	53 11/16	27 7/8	71 1/2	5/8

CEMA C 45° SELF-ALIGNING TROUGH IDLER 5" DIAMETER ROLLS									
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	MOUNTING BOLT
18	DCS-18-45-05	89	27	8 7/8	7 1/8	19 3/16	17 3/16	29	1/2
24	DCS-24-45-05	95	33	8 7/8	9 1/8	24 1/16	18 5/8	35	1/2
30	DCS-30-45-05	103	39	8 7/8	11 1/8	28 7/8	20	41	1/2
36	DCS-36-45-05	114	45	8 7/8	13 1/8	33 11/16	20 15/16	47	1/2
42	DCS-42-45-05	135	51	9 3/16	15 1/8	38 1/2	23 3/16	53	5/8
48	DCS-48-45-05	145	57	9 3/16	17 1/8	43 3/8	24 5/8	59	5/8
54	DCS-54-45-05	158	63	9 11/16	19 1/8	48 3/16	26 1/2	65 1/2	5/8
60	DCS-60-45-05	170	69	9 11/16	21 1/8	53	27 7/8	71 1/2	5/8

CEMA C 45° SELF-ALIGNING TROUGH IDLER 6" DIAMETER ROLLS									
BELT WIDTH	MODEL NO.	WT.	A	B	C	D	E	F	MOUNTING BOLT
18	DCS-18-45-06	89	29	9 3/8	7 1/8	18 1/2	17 3/16	29	1/2
24	DCS-24-45-06	95	34	9 3/8	9 1/8	23 3/8	18 5/8	35	1/2
30	DCS-30-45-06	103	40	9 3/8	11 1/8	28 3/16	20	41	1/2
36	DCS-36-45-06	114	46	9 3/8	13 1/8	33	20 15/16	47	1/2
42	DCS-42-45-06	135	52	9 11/16	15 1/8	37 13/16	23 3/16	53	5/8
48	DCS-48-45-06	145	58	9 11/16	17 1/8	42 11/16	24 5/8	59	5/8
54	DCS-54-45-06	158	64	10 3/16	19 1/8	47 1/2	26 1/2	65 1/2	5/8
60	DCS-60-45-06	170	71	10 3/16	21 1/8	52 5/16	27 7/8	71 1/2	5/8

All dimensions and specifications subject to change without notice.  
 Certified dimensions and specifications of ordered material available on request.  
 Copyright © 2015, Douglas Manufacturing Co., Inc. All rights reserved.